Lifting Solutions Group
Axel Johnson International

Polyester Silk Rope, Pleated

Product information

Design: Pleated.
Specific gravity: 1,38.
Melting point: apx 260°C.
Elongation: apx 35%

... *Read more*



Material: Polyester has very good resistance against UV-radiation, acids, mild alkalies and rot.
Finish: White.

Traction Levage
marketingtl@traclev.com

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Polyester Silk Rope, Pleated

Technical data

Part code	Diameter mm	Min. breaking force kN	Length m
301600149990020	1.4	0.44	1,000
301600175000020	1.7	0.54	500
301600201300020	2	0.73	130
301600283000020	2.8	1.47	300
301600351300020	3.5	2.1	130
301600401300020	4	2.94	130
301600501300020	5	4.3	130

Traction Levage
marketingtl@traclev.com
© November 2026 - All Rights Reserved