



Bow Shackle

Product information

The bow shackle with screw pin is made of stamped C15 steel with a white zinc finish.

Approved according to Machinery directive 2006/42/EC.

If you need more dimensions, please contact us!

Material: stamped C15 steel

Marking: CE-marked, Diameter, WLL, Supplier, batch number

Finish: white zinc plating.

Safety factor: 5:1

| Part code | WLL ton | A mm | C mm | D mm | E mm | G mm | L | Weight kg/100pc |
|--------------|---------|------|------|------|------|------|-----|-----------------|
| 420100011142 | 0.1 | 8 | 10 | 5 | 5 | 15 | 20 | 2 |
| 420100021140 | 0.16 | 12 | 12 | 6 | 6 | 18 | 24 | 3 |
| 420100031140 | 0.25 | 15 | 16 | 8 | 8 | 24 | 32 | 7 |
| 420100041140 | 0.4 | 18 | 20 | 10 | 10 | 30 | 38 | 13 |
| 420100061140 | 0.63 | 22 | 24 | 12 | 12 | 36 | 50 | 23 |
| 420100081140 | 0.8 | 25 | 28 | 14 | 14 | 42 | 56 | 37 |
| 420100101140 | 1 | 28 | 32 | 16 | 16 | 48 | 64 | 56 |
| 420100131140 | 1.3 | 35 | 36 | 18 | 18 | 54 | 72 | 78 |
| 420100161140 | 1.6 | 38 | 40 | 20 | 20 | 60 | 80 | 108 |
| 420100201140 | 2 | 44 | 49 | 22 | 22 | 66 | 85 | 155 |
| 420100251140 | 2.5 | 50 | 57 | 25 | 25 | 75 | 95 | 221 |
| 420100321140 | 3.15 | 54 | 58 | 28 | 27 | 81 | 110 | 298 |
| 420100401140 | 4 | 68 | 64 | 32 | 31 | 93 | 120 | 417 |
| 420100501140 | 5 | 75 | 80 | 41 | 38 | 115 | 155 | 770 |

Blueprint

