



## DuraPlus 8SP

### Product information



DuraPlus 8SP is a high-performance rope that contains all the new technologies.

General Information :

- Plastic impregnated IWRC
- Designed for very intensive use conditions
- Very high breaking strength Flexible
- Extremely resistant to the high pressure and crushing

**Features:** Flexible

**Note:** Must not be used with a swivel

**Tolerance Ø:** +1% to +4%

Part Code	Rope Diameter, mm	Steel area mm <sup>2</sup>	Min. Breaking force kN. 1960 N/mm <sup>2</sup>	Min. Breaking force kN. 2160 N/mm <sup>2</sup>	Weight kg/100m
103100603270399	6	21	34.5	36.6	0.19
103100643270399	6.4	23.7	38.2	42	0.21
103100703270399	7	28.3	46.3	49.5	0.25
103100723270399	7.2	29.6	48.4	50.6	0.27
103100753270399	7.5	32.2	52.6	57.2	0.29
103100804270399	8	37	60	65	0.33

103100904270399	9	46	74.6	81.2	0.42
103101004270399	10	57	92.8	101	0.52
103101104270399	11	70	113	123	0.63
103101204270399	12	82	133	144	0.74
103101303270399	13	92	149	162	0.83
103101404270399	14	112	181	197	1.01
103101504270399	15	128	207	226	1.15
103101604270399	16	147	237	258	1.32
103101804270399	18	186	300	327	1.67
103101904270399	19	186	333	363	1.85
103102004270399	20	229	370	402	2.06
103102204270399	22	277	448	487	2.49
103102404270399	24	329	532	579	2.96
103102504270399	25	358	578	630	3.22
103102544270399	25.4	369	586	653	3.3
103102604270399	26	386	625	680	3.48
103102804270399	28	448	724	788	4.03
103102864270399	28.6	467	756	823	4.21
103103004270399	30	515	832	906	4.63
103103204270399	32	585	946	1030	5.27
103103404270399	34	661	1069	1164	5.95
103103504270399	35	697	1127	1227	6.27
103103604270399	36	741	1198	1304	6.67

103103804270399	38	826	1336	1454	7.44
103104004270399	40	915	1480	1611	8.24
103104204270399	42	1,010	1633	1777	9.09
103104404270399	44	1,052	1701	1851	9.46
103104604270399	46	1,150	1825	-	10.3
103104804270399	48	1,251	1962	-	11.15
103105084270399	50.8	1,402	2200	-	12.48
103105204270399	52	1,465	2295	-	13.05