Lifting Solutions Group
Axel Johnson International

# Double Braided Rope, Various synthetic

## Product information

**Material:** polyamide, polyester or polypropylene

NO PICTURE

Traction Levage
marketingtl@traclev.com

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

# Double Braided Rope, Various synthetic

## Technical data

| Part code | Diameter mm | Min. breaking force kN | Length m | Material | Weight kg/100m |
|---|---|---|---|---|---|
| 305100102000020 | 1 | 0.49 | 200 | Polyamide | 0.09 |
| 305100152000020 | 1.5 | 0.64 | 200 | Polyamide | 0.14 |
| 305100202000020 | 2 | 0.88 | 200 | Polyamide | 0.17 |
| 305100201000020 | 2 | 0.44 | 100 | Polypropylene | 0.19 |
| 305100202000020 | 2 | 1.03 | 200 | Polyester | 0.27 |
| 305100251000020 | 2.5 | 0.69 | 100 | Polypropylene | 0.23 |
| 305100252000020 | 2.5 | 1.27 | 200 | Polyamide | 0.27 |
| 305100252000020 | 2.5 | 1.67 | 200 | Polyester | 0.48 |
| 305100301000020 | 3 | 1.08 | 100 | Polypropylene | 0.4 |
| 305100302000020 | 3 | 2.3 | 200 | Polyamide | 0.45 |
| 305100302000020 | 3 | 2.65 | 200 | Polyester | 0.59 |
| 305100352000020 | 3.5 | 2.75 | 200 | Polyamide | 0.63 |
| 305100401000020 | 4 | 1.47 | 100 | Polypropylene | 0.7 |
| 305100401000020 | 4 | 3.14 | 100 | Polyamide | 0.75 |
| 305100401000020 | 4 | 3.24 | 100 | Polyester | 1.05 |
| 305100500000020 | 5 | 2.25 | - | Polypropylene | 0.95 |
| 305100501000020 | 5 | 4.71 | 100 | Polyamide | 1.23 |
| 305100501000020 | 5 | 4.71 | 100 | Polyester | 1.75 |
| 305100600000020 | 6 | 2.94 | - | Polypropylene | 1.35 |
| 305100601000020 | 6 | 6.27 | 100 | Polyamide | 1.64 |
| 305100601000020 | 6 | 7.06 | 100 | Polyester | 2.9 |
| 305100800000020 | 8 | 5.64 | - | Polypropylene | 2.9 |
| 305100801000020 | 8 | 11.76 | 100 | Polyamide | 3.23 |
| 305100801000020 | 8 | 10.78 | 100 | Polyester | 4.2 |
| 305101000000020 | 10 | 8.33 | - | Polypropylene | 4.35 |
| 305101001000020 | 10 | 19.61 | 100 | Polyamide | 5.25 |
| 305101001000020 | 10 | 15 | 100 | Polyester | 5.7 |
| 305101200000020 | 12 | 9.8 | - | Polypropylene | 5.85 |
| 305101201000020 | 12 | 27.45 | 100 | Polyamide | 7.4 |
| 305101201000020 | 12 | 21.57 | 100 | Polyester | 9.2 |
| 305101401000020 | 14 | 33.33 | 100 | Polyamide | 10 |


© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

# Double Braided Rope, Various synthetic

## Technical data

| Part code | Diameter mm | Min. breaking force kN | Length m | Material | Weight kg/100m |
|---|---|---|---|---|---|
| 305101401000020 | 14 | 26.96 | 100 | Polyester | 11.5 |
| 305101601000020 | 16 | 41.18 | 100 | Polyamide | 13 |
| 305101801000020 | 18 | 51.96 | 100 | Polyamide | 18 |

**Traction Levage**
marketingtl@traclev.com
© November 2026 - All Rights Reserved