



Black Belt Sling™ Extreema® with Dyneema® core

Product information

These Extreema® HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt Sling™ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of Bio Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordura® outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

When to choose this product

Best for:

- Heavy lifting with cranes, shackles, and large connection points
- Environments with high abrasion and repeated handling

Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- Does not absorb water
- Floats on water
- Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m – 65m
- Standard with RFID

Material: PES, Dyneema®

Marking: CE-marked

Temperature range: -40°C up to +70°C

Safety factor: 7:1

| Part code | EWL m | WLL ton |
|-----------------|----------|------------|
| 340501200600020 | 6 | 12 |
| 34050150XX0020 | - | 15 |
| 340501501300020 | 13 | 15 |
| 340501600100020 | 1 | 16 |
| 340501800750020 | 7.5 | 18 |
| 34050200XX0020 | - | 20 |
| 340502000480020 | 4.8 | 20 |
| 340502000510020 | 5.14 | 20 |
| 340502000150020 | 1.49 | 20 |
| 340502000180020 | 1.75 | 20 |
| 340502000190020 | 1.91 | 20 |
| 340502000240020 | 2.42 | 20 |
| 340502500220020 | 2.23 | 25 |
| 340502500400020 | 4 | 25 |
| 340502500480020 | 4.75 | 25 |
| 340502500500020 | 5 | 25 |
| 340502500100020 | 1 | 25 |
| 340502500300020 | 3 | 25 |
| 340503000500020 | 5 | 30 |
| 34050300XX0020 | - | 30 |
| 340503001050020 | 10.53 | 30 |

| | | |
|-----------------|------|----|
| 340503000200020 | 2.01 | 30 |
| 340503000280020 | 2.75 | 30 |
| 340503000300020 | 3 | 30 |
| 340503000400020 | 4 | 30 |
| 340503000800020 | 8 | 30 |
| 340503000100020 | 1 | 30 |
| 340503000150020 | 1.5 | 30 |
| 340503500150020 | 1.5 | 35 |
| 340503500190020 | 1.9 | 35 |
| 340503500350020 | 3.47 | 35 |
| 340503500360020 | 3.6 | 35 |
| 340503500450020 | 4.5 | 35 |
| 340503500550020 | 5.5 | 35 |
| 340504000500020 | 5 | 40 |
| 34050400XX00020 | - | 40 |
| 340504000170020 | 1.73 | 40 |
| 340504001020020 | 10.2 | 40 |
| 340504000270020 | 2.68 | 40 |
| 340504000300020 | 3 | 40 |
| 340504000330020 | 3.25 | 40 |
| 340504000490020 | 4.88 | 40 |
| 340504000520020 | 5.18 | 40 |
| 340504000800020 | 7.96 | 40 |

| | | |
|-----------------|------|----|
| 340504000970020 | 9.7 | 40 |
| 340504000650020 | 6.5 | 40 |
| 340504500180020 | 1.8 | 45 |
| 340504500450020 | 4.5 | 45 |
| 340504500500020 | 5 | 45 |
| 340504500580020 | 5.75 | 45 |
| 340504500700020 | 7 | 45 |
| 34050500XX0020 | - | 50 |
| 340505000100020 | 1 | 50 |
| 340505000130020 | 1.25 | 50 |
| 340505000150020 | 1.5 | 50 |
| 340505000240020 | 2.4 | 50 |
| 340505000290020 | 2.9 | 50 |
| 340505000300020 | 3 | 50 |
| 340505000310020 | 3.1 | 50 |
| 340505000340020 | 3.42 | 50 |
| 340505000350020 | 3.5 | 50 |
| 340505000400020 | 4 | 50 |
| 340505000460020 | 4.6 | 50 |
| 340505000500020 | 5 | 50 |
| 340505000700020 | 7 | 50 |
| 340505500770020 | 7.7 | 55 |
| 340505601000020 | 10 | 56 |

| | | |
|-----------------|------|----|
| 340505601600020 | 16 | 56 |
| 340506000200020 | 2 | 60 |
| 340506000240020 | 2.4 | 60 |
| 340506000250020 | 2.5 | 60 |
| 340506000300020 | 3 | 60 |
| 340506000320020 | 3.2 | 60 |
| 340506000330020 | 3.3 | 60 |
| 340506000340020 | 3.35 | 60 |
| 340506000360020 | 3.55 | 60 |
| 340506000500020 | 5 | 60 |
| 340506000900020 | 9 | 60 |
| 340506501400020 | 14 | 65 |
| 340506500250020 | 2.5 | 65 |
| 340506500500020 | 5 | 65 |
| 340507000250020 | 2.5 | 70 |
| 340507500500020 | 5 | 75 |
| 34050750XX00020 | - | 75 |
| 340507500050020 | 0.5 | 75 |
| 340507500800020 | 8 | 75 |
| 340508000210020 | 2.07 | 80 |
| 340508000550020 | 5.5 | 80 |
| 340508000700020 | 6.95 | 80 |
| 340508000150020 | 1.5 | 80 |

| | | |
|-----------------|------|-----|
| 340508001400020 | 14 | 80 |
| 340509000900020 | 9 | 90 |
| 340510000500020 | 5 | 100 |
| 34051000XX00020 | - | 100 |
| 340510001000020 | 10 | 100 |
| 340510001200020 | 12 | 100 |
| 340510000300020 | 3 | 100 |
| 340510000730020 | 7.3 | 100 |
| 340512000200020 | 2 | 120 |
| 340512002700020 | 27 | 120 |
| 340512000300020 | 3 | 120 |
| 340512000450020 | 4.5 | 120 |
| 340512000700020 | 7 | 120 |
| 340512500500020 | 5 | 125 |
| 34051250XX00020 | - | 125 |
| 340512500200020 | 2 | 125 |
| 340512500400020 | 4 | 125 |
| 340515000500020 | 5 | 150 |
| 34051500XX00020 | - | 150 |
| 340515000250020 | 2.5 | 150 |
| 340515000450020 | 4.5 | 150 |
| 340515000470020 | 4.73 | 150 |
| 340515000680020 | 6.8 | 150 |

| | | |
|-----------------|-------|-------|
| 340516002700020 | 27 | 160 |
| 340516000700020 | 7 | 160 |
| 340518001400020 | 14 | 180 |
| 340518000500020 | 5 | 180 |
| 340518000600020 | 6 | 180 |
| 340518501290020 | 12.87 | 185 |
| 340519501480020 | 14.75 | 195 |
| 340519501600020 | 16 | 195 |
| 340520000500020 | 5 | 200 |
| 34052000XX00020 | - | 200 |
| 340520000150020 | 1.5 | 200 |
| 340520001210020 | 12.06 | 200 |
| 340520000400020 | 4 | 200 |
| 340520000600020 | 6 | 200 |
| 340520000800020 | 8 | 200 |
| 340521740300020 | 3 | 217.4 |
| 340521740350020 | 3.51 | 217.4 |
| 340522000400020 | 4 | 220 |
| 340525000300020 | 3 | 250 |
| 340525000500020 | 5 | 250 |
| 340525000700020 | 7 | 250 |
| 340526981170020 | 11.7 | 269.8 |
| 340526980590020 | 5.85 | 269.8 |

340527000440020

4.41

270

340529000310020

3.05

290