



Turnbuckles TR Series Stud Eye-Stud Eye

Product information

General:

Closed body Turnbuckles stud eye/stud eye with trapezoid thread. Standard supplied with lock nuts.

Features:

- Standard painted blue, but can be supplied in any colour or galvanised.
- Available in all combinations of eyes, stud eyes and welding ends.
- Lock plates or special locking devices possible.
- Can be supplied with turning wheel or ratchet.
- Other sizes possible.

Temperature range: -40°C t/m +110° C at 100% capacity rating. Higher temperature possible with reduction of WLL.

Warning: Straight or in-line pull only.

Safety factor: 5:1

Part code	WLL ton	Take up mm	Thread trap.	Weight kg
422100160190	1.6	167	22 x 5	2
422100200190	2	181	24 x 5	3
422100250190	2.5	215	28 x 5	5
422100310190	3.1	225	30 x 6	5
422100400190	4	232	32 x 6	6
422100500190	5	242	36 x 6	11
422100630190	6.3	270	44 x 7	12
422100800190	8	296	48 x 8	16
422101000190	10	306	52 x 8	23
422101260190	12.6	352	55 x 9	40
422101600190	16	366	65 x 10	55
422102000190	20	380	70 x 10	69
422102500190	25	402	75 x 10	72
422103150190	31.5	438	80 x 10	78
422104000190	40	464	90 x 10	136
422105000190	50	520	100 x 10	160
422106300190	63	564	110 x 10	220
422108000190	80	630	120 x 10	280
422110000190	100	720	130 x 10	370
422112500190	125	752	140 x 10	500
422116000190	160	880	160 x 10	725

Blueprint

