Lifting Solutions Group
Axel Johnson International

Round sling - Double sleeve, middle stitch

Product information



General: Round sling – Double sleeve, middle stitch
This round sling is particularly recommended for the metal frameworks lifting.
The middle stitch gives a better capacity to the fibres that are grouped together to support the effort uniformly.
Flexible endless sling with double sleeve, middle stitch.
Configuration: Endless sling including a bearing fibre core in textile wire totally protected in a double woven sleeve.

Label informations : manufacturer's symbol, working load limit (WLL), effective working length, CE marking, batch number, handling instructions.

Stretch with working Load: for textile slings

Ensure that sling is protected from any sharp corners and/or abrasive surfaces, use either protective polyester, polyurethane sleeves or coatings.
DO NOT USE DAMAGED SLINGS.
Storage : Store in a cool, dry and protected from sunlight area.
Maintenance : Never dry sling near a fire or any source of heat

... *Read more*

Material: Fibre core and sleeve : 100% polyester high tenacity multifilament fibres.
Marking: According to standard, High resisting blue pvc label sewn on the sling.
Temperature range: From -40°C to +100°C
Standard: EN 1492-2
Warning: :


Safety factor: 7:1

Traction Levage
marketingtl@traclev.com
© October 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Round sling - Double sleeve, middle stitch

Blueprint



Technical data

Part code	EWL m	Diameter mm	WLL ton	Colour	Weight kg/m
340100100100100	1	20	1	Violet	0.37
340100100150100	1.5	20	1	Purple	0.56
340100100200100	2	20	1	Purple	0.74
340100100250100	2.5	20	1	Purple	0.93
340100100300100	3	20	1	Purple	1.11
340100100400100	4	20	1	Purple	1.48
340100100500100	5	20	1	Purple	1.85
340100100600100	6	20	1	Purple	2.22
340100100700100	7	20	1	Purple	2.59
340100100800100	8	20	1	Purple	2.96
340100100900100	9	20	1	Purple	3.33
340100101000100	10	20	1	Purple	3.7
340100200100100	1	25	2	Green	0.5
340100200150100	1.5	25	2	Green	0.75
340100200200100	2	25	2	Green	1
340100200250100	2.5	25	2	Green	1.25
340100200300100	3	25	2	Green	1.5
340100200400100	4	25	2	Green	2
340100200500100	5	25	2	Green	2.5
340100200600100	6	25	2	Green	3
340100200700100	7	25	2	Green	3.5
340100200800100	8	25	2	Green	4

© October 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Round sling - Double sleeve, middle stitch

Technical data

Part code	EWL m	Diameter mm	WLL ton	Colour	Weight kg/m
340100200900100	9	25	2	Green	4.5
340100201000100	10	25	2	Green	5
340100300100100	1	30	3	Yellow	0.7
340100300150100	1.5	30	3	Yellow	1.05
340100300200100	2	30	3	Yellow	1.4
340100300250100	2.5	30	3	Yellow	1.75
340100300300100	3	30	3	Yellow	2.1
340100300400100	4	30	3	Yellow	2.8
340100300500100	5	30	3	Yellow	3.5
340100300600100	6	30	3	Yellow	4.2
340100300700100	7	30	3	Yellow	4.9
340100300800100	8	30	3	Yellow	5.6
340100300900100	9	30	3	Yellow	6.3
340100301000100	10	30	3	Yellow	7
340100400100100	1	37	4	Grey	0.95
340100400150100	1.5	37	4	Grey	1.43
340100400200100	2	37	4	Grey	1.9
340100400250100	2.5	37	4	Grey	2.38
340100400300100	3	37	4	Grey	2.85
340100400400100	4	37	4	Grey	3.8
340100400500100	5	37	4	Grey	4.75
340100400600100	6	37	4	Grey	5.7
340100400700100	7	37	4	Grey	6.65
340100400800100	8	37	4	Grey	7.6
340100400900100	9	37	4	Grey	8.55
340100401000100	10	37	4	Grey	9.5
340100500100100	1	40	5	Red	1.2
340100500150100	1.5	40	5	Red	1.8
340100500200100	2	40	5	Red	2.4
340100500250100	2.5	40	5	Red	3
340100500300100	3	40	5	Red	3.6

© October 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Round sling - Double sleeve, middle stitch

Technical data

Part code	EWL m	Diameter mm	WLL ton	Colour	Weight kg/m
340100500400100	4	40	5	Red	4.8
340100500500100	5	40	5	Red	6
340100500600100	6	40	5	Red	7.2
340100500700100	7	40	5	Red	8.4
340100500800100	8	40	5	Red	9.6
340100500900100	9	40	5	Red	10.8
340100501000100	10	40	5	Red	12
340100600100100	1	43	6	Brown	1.3
340100600150100	1.5	43	6	Brown	1.95
340100600200100	2	43	6	Brown	2.6
340100600250100	2.5	43	6	Brown	3.25
340100600300100	3	43	6	Brown	3.9
340100600400100	4	43	6	Brown	5.2
340100600500100	5	43	6	Brown	6.5
340100600600100	6	43	6	Brown	7.8
340100600700100	7	43	6	Brown	9.1
340100600800100	8	43	6	Brown	10.4
340100600900100	9	43	6	Brown	11.7
340100601000100	10	43	6	Brown	13
340100800100100	1	45	8	Blue	1.7
340100800150100	1.5	45	8	Blue	2.55
340100800200100	2	45	8	Blue	3.4
340100800250100	2.5	45	8	Blue	4.25
340100800300100	3	45	8	Blue	5.1
340100800400100	4	45	8	Blue	6.8
340100800500100	5	45	8	Blue	8.5
340100800600100	6	45	8	Blue	10.2
340100800700100	7	45	8	Blue	11.9
340100800800100	8	45	8	Blue	13.6
340100800900100	9	45	8	Blue	15.3
340100801000100	10	45	8	Blue	17

© October 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Round sling - Double sleeve, middle stitch

Traction Levage
marketingtl@traclev.com

© October 2026 - All Rights Reserved