

Roundsling, basic budget Extreema® with Dyneema® core

Product information



The EXTREEMA® round sling with a polyester sleeve is a standard and cost-effective option for lifting tasks demanding dependable performance within a wide temperature range. Polyester sleeves offer reliability, but there are some aspects to consider.

Core: Bio Based Dyneema® core

Suitable sleeve up to 100t: orange standard PES sleeve

Suitable sleeve > 100t: orange PES inner sleeve and covered with PES heavy-duty sleeve

Features:

- Lightweight and flexible, easy to handle
- Does not absorb water
- Floats on water
- Sustainable
- WLL: 3t – 600t
- EWL: 0,5m – 65m
- Standard with RFID

... [Read more](#)

Material: Polyester, Dyneema®

Marking: CE-marked

Temperature range: -40°C up to +100°C

Note: We highly recommend using suitable protection on the sling

Safety factor: 7:1

Roundsling, basic budget Extreema® with Dyneema® core

Technical data

Part code	EWL	WLL ton
340500200300080	3	2
340500200350080	3.5	2
340500300350080	3.5	3
340500300300080	3	3
340500500100080	1	5
340500500200080	2	5
340500500400080	4	5
340500500600080	6	5
340500504000080	40	5
340501000200080	2	10
340501000400080	4	10
340501000800080	8	10
340501001000080	10	10
340501500100080	1	15
340501500500080	5	15
340501600380080	3.75	16
340502000100080	1	20
340502000510080	5.14	20
340502000800080	8	20
340502000970080	9.7	20
340502001000080	10	20
340502400910080	9.14	24
340502500750080	7.5	25
340503000500080	5	30
340503000300080	3	30
340504000040080	0.35	40
340504000270080	2.72	40
340504000490080	4.88	40
340504000520080	5.18	40
340504002000080	20	40
340505000200080	2	50

Roundsling, basic budget Extreema® with Dyneema® core

Technical data

Part code	EWL	WLL ton
340506000300080	3	60
340508000150080	1.5	80
340508003500080	35	80