

Roundsling, basic budget Extreema® with Dyneema® core



Product information

The EXTREEMA® round sling with a polyester sleeve is a standard and cost-effective option for lifting tasks demanding dependable performance within a wide temperature range. Polyester sleeves offer reliability, but there are some aspects to consider.

Core: Bio Based Dyneema® core

Suitable sleeve up to 100t: orange standard PES sleeve

Suitable sleeve > 100t: orange PES inner sleeve and covered with PES heavy-duty sleeve

Features:

- Lightweight and flexible, easy to handle
- Does not absorb water
- Floats on water
- Sustainable
- WLL: 3t – 600t
- EWL: 0,5m – 65m

Material: Polyester, Dyneema®

Marking: According to standard, CE-marked

Temperature range: -40°C up to +100°C

Standard: EN 1492-2

Note: We highly recommend using suitable protection on the sling

Safety factor: 7:1

Part code

WLL
ton

340500200300080

2

340500200350080

2

340500300350080	3
340500300300080	3
340500500100080	5
340500500200080	5
340500500400080	5
340500500600080	5
340500504000080	5
340501000200080	10
340501000400080	10
340501000800080	10
340501001000080	10
340501500100080	15
340501500500080	15
340501600380080	16
340502000100080	20
340502000510080	20
340502000800080	20
340502000970080	20
340502001000080	20
340502400910080	24
340502500750080	25
340503000500080	30
340503000300080	30

340504000040080	40
340504000270080	40
340504000490080	40
340504000520080	40
340504002000080	40
340505000200080	50
340506000300080	60
340508000150080	80
340508003500080	80