

Webbing slings 0,5 - 12 t

Product information



Double layer Duplex webbing slings 0,5 - 12 t. Folded reinforced eyes as standard and also available with flat eye. Color coded.

Thanks to our own production unit, we can also make quick deliveries of special types and lengths as well as lifting slings with higher WLL up to 12t.

... [Read more](#)

Material: Polyester

Note: Standard dimensional tolerance is $\pm 3\%$. Lengths can vary within the tolerance range!

Webbing slings 0,5 - 12 t

Technical data

Part code	EWL	WLL ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Colour
41020027F	1	1	0.8	2	1.4	1	50	Violet
41020035F	2	1	0.8	2	1.4	1	50	Violet
41020042F	3	1	0.8	2	1.4	1	50	Violet
41020046F	4	1	0.8	2	1.4	1	50	Violet
41020050F	5	1	0.8	2	1.4	1	50	Violet
41020052F	6	1	0.8	2	1.4	1	50	Violet
41020055F	8	1	0.8	2	1.4	1	50	Violet
41020058F	10	1	0.8	2	1.4	1	50	Violet
41020079F	2	2	1.6	4	2.8	2	60	Green
41020084F	4	2	1.6	4	2.8	2	60	Green
41020087F	5	2	1.6	4	2.8	2	60	Green
41020088F	6	2	1.6	4	2.8	2	60	Green
41020100F	3	3	2.4	6	4.2	3	90	Yellow
41020103F	4	3	2.4	6	4.2	3	90	Yellow
41020110F	6	3	2.4	6	4.2	3	90	Yellow
41020127F	3	4	3.2	8	5.6	4	120	Grey
41020128F	4	4	3.2	8	5.6	4	120	Grey
41020130F	6	4	3.2	8	5.6	4	120	Grey
41020140F	2	5	4	10	7	5	150	Red
41020144F	4	5	4	10	7	5	150	Red
41020145F	5	5	4	10	7	5	150	Red
41020147F	8	5	4	10	7	5	150	Red
41020149F	10	5	4	10	7	5	150	Red
-	1	5	-	-	-	-	-	-
41020174F	10	8	6.4	16	11.2	8	240	Blue
41020193F	2	10	8	20	14	10	300	Orange
41020024F	6	10	8	20	14	10	300	Orange
41020018F	10	10	8	20	14	10	300	Orange
41020199F	3	12	9.6	24	16.8	12	300	Orange
41020202F	4	12	9.6	24	16.8	12	300	Orange
41020204F	5	12	9.6	24	16.8	12	300	Orange

Webbing slings 0,5 - 12 t

Technical data

Part code	EWL	WLL ton	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Colour
41020064F	6	12	9.6	24	16.8	12	300	Orange
41020206F	8	12	9.6	24	16.8	12	300	Orange
41020207F	10	12	9.6	24	16.8	12	300	Orange