



## ROV Eye Hook Crosby L-320R

### Product information

#### Features:

- QUIC-CHECK® deformation and angle indicators forged on the hook.
- Tip extension allows for easy handling.
- Sizes 3.2t through 31.5t utilize new integrated latch (S-4320) that meets the world-class standard for lifting.
- Heavy duty stamped latch interlocks with the hook tip.
- High cycle, long life spring.
- Pad eyes are provided on either side of hook as cable guides. The cable is passed through a hole drilled in the latch that assists in allowing the "remotely operated" cable to open latch.
- Cables and drilled latches are not provided by Crosby. They can be fitted by your local Authorized Crosby Dealer.

**Material:** Quenched and Tempered

**Marking:** Code

**Finish:** Painted with fluorescent yellow for high subsea visibility

**Safety factor:** 4:1

**Grade:** 8

Part code	WLL ton	C,	D,	E,	F,	G,	M mm	N mm	O mm	Q mm	R mm	AA** mm	Weight kg
401300320160	3.2	119	101	25	41	29	24	15	28	32	6	50.8	1.01
401300540160	5.4	147	122	25	51	37	33	18	35	40	6	63.5	2.04
401300800160	8	187	159	35	64	46	42	23	41	51	10	76.2	3.92
401301150160	11.5	230	189	35	76	57	41	28	53	62	10	102	7.02
401301600160	16	256	211	35	83	66	49	32	58	72	10	102	10.1
401302200160	22	318	262	45	108	76	60	40	77	89	19	127	18.4
401303150160	31.5	357	346	-	127	92	76	44	86	89	19	165	28.1
401303700160	37	462	357	-	137	116	81	51	95	114	19	178	48.5
401304500160	45	511	392	-	152	129	82	55	125	125	19	203	62.1
401306000160	60	602	470	-	178	152	99	64	130	145	19	254	102

# Blueprint

