



## Chain Sling CSY-276 Grade 12

### Product information

**Design:** Master link in one end and safety hook - clevis in each leg.

**Dimension:** Ø 7-13 mm.

**Material:** Alloy steel grade 12.

**Marking:** According to standard

**Standard:** EN 818-4

**Note:** Hooks with eye and link will be used for chain diameter 19-22 mm.

**Safety factor:** 4:1

**Grade:** 12

Part code	WLL ton
2509	3.35
250800700000010	3.35
250800700050010	3.35
250800700100010	3.35
250800700150010	3.35
250800700200010	3.35
250800700250010	3.35
250800700300010	3.35

250800700350010	3.35
250800700400010	3.35
2509	4.25
250800800000010	4.25
250800800050010	4.25
250800800100010	4.25
250800800150010	4.25
250800800200010	4.25
250800800250010	4.25
250800800300010	4.25
250800800350010	4.25
250800800400010	4.25
250800800500010	4.25
2509	7.1
250801000000010	7.1
250801000050010	7.1
250801000100010	7.1
250801000150010	7.1
250801000200010	7.1
250801000250010	7.1
250801000300010	7.1
250801000350010	7.1
250801000400010	7.1

250801000500010	7.1
2509	11.2
250801300000010	11.2
250801300050010	11.2
250801300100010	11.2
250801300150010	11.2
250801300200010	11.2
250801300250010	11.2
250801300300010	11.2
250801300350010	11.2
250801300400010	11.2
250801300500010	11.2